

## LITERATURE CITED LICHEN GLOSSARY

Abbayes, H. des. 19 . Traite de Bot

Ainsworth, G. C., P. W. James & D. L. Hawksworth. 1971.  
Ainsworth & Bisby's Dictionary of the Fungi. 6th Ed.  
Commonwealth Mycological Institute, Kew, Surrey.

Asahina, . 19 . Usnea

Bellemere, A. and M.A. LetrouitGalinou. 1981. The Lecanoralean  
ascus: An ultrastructural preliminary study. Pages 5470 in:  
Reynolds, D. R. (ed.), Ascomycete Systematics: The Lutrellian  
Concept. Springer Verlag.

Bellemere, A. and M.A. LetrouitGalinou. 198 . Asci, ascospores  
and ascomata. Pages 161179 in: CRC Handbook of Lichenology, Vol.  
I.

Beltman, H. 1978. Vegetativ Strukturen der Parmeliaceae und  
ihre Entwicklung. Bibl. Lich. 11: 1193. Cramer, Lehre.

Dibben, M. J. 1980. Chemosystematics of the Lichen Genus  
Pertusaria in North America North of Mexico. Milwaukee Museum.

Du Rietz, G. E. 1924. Die Soredien und Isiden der Flechten.  
Sv. Bot. Tidskr. 18: 371396.

Eigler, G. 19 .

Esslinger, T. L. A chemoystematic revision of the brown  
Parmeliae. Journal Hattori Bot. Lab. 42: 1211.

Filson, R. B. and R. W. Rogers. 1979. Lichens of South  
Australia. D. Woolman, Government Printer, S. Australia.

Fink, B. 1935. The Lichen Flora of the United States. U. of  
Michigan Press, Ann Arbor.

Gall, L. 1972. Flechtenterata in Herbarien zu Szeged. Acta  
Biologica Szeged 18(14): 2741.

Galloway, D. J. 1985. Flora of New Zealand Lichens. P. D.  
Hasselberg, Wellington.

Geesteranus, Maas. 1947.

Glck, . 18 .

Hafellner, J. 1984. Studien in Richtung einer natrlichen Gliederung der Sammelfamilien Lecanoraceae und Lecideaceae. Beih. f. Nova Hedwigia 79: 241371.

Hafellner, J., H. Mayrhofer and J. Poelt. 1979. Die Gattungender Flechtenfamilie Physciaceae. Herzogia 5: 3979.

Hale, M. E. Jr. 1974. The Biology of Lichens. Edward Arnold, London.

Hale, M. E. Jr. 1976. Lichen structure viewed with scanning electron microscope. Pages 115 in: Brown, D. H., et al. (eds.), Lichenology: Progress and Problems. Academic Press, New York.

Hale, M. E. Jr. 1979. How to Know the Lichens. Wm. C. Brown Co., Dubuque, Iowa.

Hale, M. E. Jr. 1981. Pseudocyphellae and pored epicortex in the Parmeliaceae: their delimitation and evolutionary significance. Lichenologist 13: 110.

Hanneman, B. 1973. Anhangsorganen der Flechten, ihre Strukturen und ihre systematische Verteilung. Bibl. Lich. 1. J. Cramer, Lehre.

Hawksworth, D. L. 19 . Mycologist's Handbook. Commonwealth Mycological Institute, Kew

Hawksworth, D. L. 1988. Conidiomata, conidiogenesis, and conidia. Pages 181193 in: CRC Handbook of Lichenology. Vol. I.

Hawksworth, D. L. and D. H. Hill. 1984. The LichenForming Fungi. Blackie Co., Glasgow & London.

Henssen, A. and H. M. Jahns. 1973. Lichenes. Ein Eifhrung in die Flechtenkunde. G. Thieme, Stuttgart.

Hertel, H. 1967. Revision einiger calcipher Formenkreis der Flechtengattung Lecidea. Beih. f. Nova Hedwigia 24: 155.

Hillmann, J. and V. J. Grumann. 1957. Kryptogamenflora von Mark Brandenburg un angrenzender Gebiete. Flechten. Borntraeger, Berlin.

Honegger, R. 1978. The ascus apex in lichenized fungi. I. The Lecanora, Peltigera, and Teloschistes types. Lichenologist 10: 4768.

Honegger, R. 1982. Ascus structure and function, ascospore delimitation, and phycobiont cell wall types associated with the Lecanorales (lichenized Ascomycetes). Journ. Hattori Bot. Lab. 52: 417429.

Honegger, R. 1987. Lichenology: Progress and Problems in the Eighties.

Jahns, H. M. 1974. Anatomy, morphology and development. Pages 358 in: Ahmadjian, V. and M. E. Hale Jr. (eds.), The Lichens. Academic Press, London.

James, P. W. 1976. The morphological and taxonomical significance of cephalodia. Pages 2778 in: Brown, D. H., et al. (eds.), Lichenology: Progress and Problems. Academic Press, London.

Jordan, W. P. 1972. Erumpent cephalodia, an apparent case of phycobiont influence on lichen morphology. J. Phycol. 8: 112117.

Kiliass, H. 1981. Revision gestinsbewohnender Sippen der Flechtengattung Catillaria Mass. in Europa (Lecanorales, Lecideaceae). Herzogia 5(34): 209448.

Kopazevskaja, et al. 19 .

Lamb, I. M. 1951. On the morphology, phylogeny and taxonomy of the lichen genus Stereocaulon. Can. J. Bot. 29: 522584.

LetrouitGalinou, M.A. 1968. Apothecia of the Discolichens. The Bryologist 71: \_\_\_\_.

LetrouitGalinou, M.A. 1974. Sexual reproduction. Pages 5990 in: Ahmadjian, V. and M. E. Hale Jr. (eds.), The Lichens. Academic Press, New York.

Lindahl, P.O. 1960. The different types of isidia found in the lichen genus Peltigera. Svensk. Bot. Tidskr. 54: 565570.

Lindsay, W. L. 1861. Memoir on the spermagones and pycnides of filamentous, fruticulose and foliaceous lichens. Trans. Roy. Soc. Edin. 22: 101103.

Mayrhofer, H. and J. Poelt. 1979. Die saxicolen Arten der Flechtengattung Rinodina in Europa. Bibl. Lich. 12. J. Cramer, Vaduz.

MorganJones, G. 1972. Studies on lichen asci. II. Further examples of the bitunicate type. Lichenologist 5: 275-282.

Nash, T. H. III. 1986. Handout for lichenology class, Arizona State University. (unpublished).

Nienburg, W. 1926. Anatomie der Flechten. Pages 113-6 in: Linsbauer, K. (ed.), Handbuch der Pflanzenanatomie. Vol. 6, Sect. 2, Part 1. Borntraeger, Berlin.

Ozenda, P. and G. Clauzade. 1970. Les Lichens.

Poelt, J. 1958. Die lobaten Arten der Flechtengattung Lecanora Ach. sensu ampl. in der Holarktis. Mitt. Bot. Staatssaml. Mnchen 1920: 411-589.

Poelt, J. 1969. Bestimmungsschlüssel europaischer Flechten. J. Cramer, Lehre. (English translation by D. Anderegg).

Poelt, J. 1974. Systematic evaluation of morphological characters. Pages 911-15 in: Ahmadjian, V. and M. E. Hale Jr. (eds.), The Lichens. Academic Press, New York.

Poelt, J. 1980. Physcia opuntiella, spec. nov. und die Lebensform der Sprossenden Flechten. Flora 169: 233-1.

Poelt, J. 1986. Morphologie der Flechten: Fortschritte und Probleme. [Ber.?] Deutsch. Bot. Ges. 99: 329.

Poelt, J. and H. Baumgrtner. 19 . ber Rhizinenstrnge bei placodialen Flechten.

Poelt, J. and H. Wunder. 1967. Berandung von Flechtenapothecien

Pyatt, F. B. 1974. Lichen propagules. Pages 117-145 in: Ahmadjian, V. and M. E. Hale Jr. (eds.), The Lichens. Academic Press, New York.

Richardson, D. H. S. and G. MorganJones. 1964. Studies on lichen asci. Lichenologist 2: 205-224.

- Rogers, R. W. 1981. The Genera of Australian Lichens. University of Queensland Press, St. Lucia.
- Servit, M. 1954. Ceskoslovensk Lisejniky celedi. Verrucariaceae. Ceskoslovensk Akademie Ved, Prague.
- Sheard, J. W. 1967. A revision of the lichen genus Rinodina (Ach.) Gray in the British Isles. Lichenologist 3: 328367.
- Swinscow & Krog. 19 . Macrolichens of East Africa.
- Taylor, C. J. 1967. Lichens of Ohio. I. Foliose Lichens. Ohio State University, Columbus.
- Taylor, C. J. 1968. Lichens of Ohio. II. Fruticose and Cladoniaform Lichens. Ohio State University, Columbus.
- Thomson, J. W. 1979. Lichens of the Alaskan Arctic Slope. University of Toronto Press, Toronto.
- Vitt, D. H., J. E. Marsh & R. B. Bovey. 1988. Mosses, Lichens, and Ferns of Northwest North America. Lone Pine Publishing, Edmonton, Alberta.
- Vobis, G. 1980. Bau und Entwicklung der FlechtenPycnidien und ihrer Conidien. Bibl. Lich. 14. J. Cramer, Vaduz.
- Yoshimura, . and R. Shimada. 1980. Fine structures of lichen plectenchymas viewed with the scanning electron microscope. Bull. Kochi Gakuen J. College 11: 1328.



